


EST ⚡ 1999

# Powerline

POWER DISTRIBUTION TEMPERATURE CONTROL



## CABLE AND ADAPTORS RENTAL GUIDE

Working with you to make your event happen

— www —

THEPOWERLINE.CO.UK



## SINGLE PHASE EXTENSION CABLES

125 Amp 1Ø Cable



63 Amp 1Ø Cable



32 Amp 1Ø Cable



16 Amp 1Ø Cable



### 63 Amp 1Ø Cable

Cable Rating	63 Amp	
CSA of cable (mm <sup>2</sup> )	3 x 16 mm <sup>2</sup>	
Cable type	H07RN-F	
Cable lengths available	Metres (m)	ORDER CODE
	1-10 m	SP633
	15 m	SP6315
	30 m	SP6330
	>30 m	SP63L

### Single Phase Generator Tail Lug

In	Out	Length	ORDER CODE
Lug	32 Amp 1 Phase Socket	3 m	SPGT32
Lug	63 Amp 1 Phase Socket (10mm)	3 m	SPGT6310
Lug	63 Amp 1 Phase Socket (16mm)	3 m	SPGT6316
Lug	125 Amp 1 Phase Socket (25mm)	3 m	SPGT12525
Lug	125 Amp 1 Phase Socket (35mm)	3 m	SPGT12535

### 16 Amp 1Ø Cable

Cable Rating	16 Amp	
CSA of cable (mm <sup>2</sup> )	3 x 2.5 mm <sup>2</sup>	
Cable type	H07RN-F	
Cable lengths available	Metres (m)	ORDER CODE
	1-10m	SP165
	15 m	SP1615
	30 m	SP1630
	>30 m	SP16L

### 32 Amp 1Ø Cable

Cable Rating	32 Amp	
CSA of cable (mm <sup>2</sup> )	3 x 4 mm <sup>2</sup> / 6mm <sup>2</sup>	
Cable type	H07RN-F	
Cable lengths available	Metres (m)	ORDER CODE
	1-10 m	SP325
	15 m	SP3215
	30 m	SP3230
	>30 m	SP32L

### 125 Amp 1Ø Cable

Cable Rating	125 Amp	
CSA of cable (mm <sup>2</sup> )	3 x 25 mm <sup>2</sup>	
Cable type	H07RN-F	
Cable lengths available	Metres (m)	ORDER CODE
	1-10 m	SP125525
	15 m	SP1251525
	30 m	SP1253025
	>30 m	SP125L25

## Single Phase 13 Amp Adaptors

In	Out	Notes / Length	ORDER CODE
13 Amp 1 Phase	1 x 16 Amp 1 Phase	0.5 m	SPA13116

## Single Phase 16 Amp Adaptors

In	Out	Notes / Length	ORDER CODE
16 Amp 1 Phase	2 x 16 Amp 1 Phase Y-Split	0.5 m	SPY16216
16 Amp 1 Phase	2 x 16 Amp 1 Phase (Solid)	-	SPA16216S
16 Amp 1 Phase	3 x 16 Amp 1 Phase (Solid)	-	SPA16316S
16 Amp 1 Phase	2 x 13 Amp 1 Phase	0.5 m	SPA16213
16 Amp 1 Phase	4 x 13 Amp 1 Phase	0.5 m	SPA16413



## THREE PHASE EXTENSION CABLES

125 Amp 3Ø Cable



63 Amp 3Ø Cable



32 Amp 3Ø Cable



### Three Phase Generator Tails

In	Out	Length	ORDER CODE
Lug	32 Amp 3 Phase Socket	3 m	TPGT32
Lug	63 Amp 3 Phase Socket (16mm)	3 m	TPGT6316
Lug	125 Amp 3 Phase Socket (35mm)	3 m	TPGT12535

### 16 Amp 3Ø Cable

Cable Rating	16 Amp		
CSA of cable (mm <sup>2</sup> )	5 x 2.5 mm <sup>2</sup>		
Cable type	H07RN-F		
Cable lengths available	Metres (m)	ORDER CODE	
	1-10 m	TP165	
	15 m	TP1615	
	30 m	TP1630	
	>30 m	TP16L	

### 32 Amp 3Ø Cable

Cable Rating	32 Amp	
CSA of cable (mm <sup>2</sup> )	5 x 6 mm <sup>2</sup>	
Cable type	H07RN-F	
Cable lengths available	Metres (m)	ORDER CODE
	1-10 m	TP325
	15 m	TP3215
	30 m	TP3230
	>30 m	TP32L

### 63 Amp 3Ø Cable

Cable Rating	63 Amp	
CSA of cable (mm <sup>2</sup> )	5 x 16 mm <sup>2</sup>	
Cable type	H07RN-F	
Cable lengths available	Metres (m)	ORDER CODE
	1-10 m	TP635
	15 m	TP6315
	30 m	TP6330
	>30 m	TP63L

### 125 Amp 3Ø Cable

Cable Rating	125 Amp	
CSA of cable (mm <sup>2</sup> )	5 x 35 mm <sup>2</sup>	
Cable type	H07RN-F	
Cable lengths available	Metres (m)	ORDER CODE
	1-10 m	TP1255
	15 m	TP12515
	30 m	TP12530

### 125 Amp 3Ø Cable

Cable Rating	125 Amp	
CSA of cable (mm <sup>2</sup> )	5 x 25 mm <sup>2</sup>	
Cable type	H07RN-F	
Cable lengths available	Metres (m)	ORDER CODE
	1-10 m	TP125525
	15 m	TP1251525
	30 m	TP1253025
	> 30 m	TP125L25

## Three Phase Adaptors

In	Out	Notes / Length (m)	ORDER CODE
16 Amp 3 Phase Socket (5 Pin)	32 Amp 3 Phase socket (5 Pin)	1 m	TPA1632
32 Amp 3 Phase Plug (5 Pin)	32 Amp 3 Phase socket (4 Pin)	1 m	TPA325324
32 Amp 3 Phase Plug	63 Amp 3 Phase socket	1 m	TPA3263
63 Amp 3 Phase Plug	125 Amp 3 Phase socket	1 m	TPA63125
125 Amp 3 Phase Plug	Powerlock Source	0.5 m	TPA125PL
Powerlock Drain	125 Amp 3 phase socket	0.5 m	PLAPL125